




Longitudinal section:




Cross section:



Exploded view:



Longitudinal section:



The different standing seam widths with the appropriate mounting angle, the position and orientation of them are shown on data sheet PS-02079-EN.

Product information:

Item	Item 1: Mounting angle 01 (PS-02251)	Item 2: Mounting angle 02 (PS-02271)	Item 3: Retaining brackets for step grate L220 PS-02153
Part number	101112	101129	101105
Materials	Aluminium	Aluminium	Aluminium
Material thickness	3 mm	3 mm	5 mm
Produktion length	510 mm	510 mm	220 mm

Designation:

**BEMO-STEP**

Example for roof pitch of 10° Roof  
 pitch of 1.5 to 30° is possible

Type:

**Step grate**



Width of standing seam webs 250 - 500 mm

This drawing is the exclusive property of BEMO SYSTEMS GmbH.  
 It may not be reproduced or made available to third parties without our prior consent. We reserve all rights, even in the case of the granting of a patent or the granting of a utility model.


Data sheet number:

**PS-02074\_EN-REV02**

Longitudinal section:



Cross section:



The different standing seam widths with the appropriate mounting angle, the position and orientation of them are shown on data sheet PS-02079-EN.

Product information:

Item	Item 1: Mounting angle 01 (PS-02251)	Item 2: Mounting angle 02 (PS-02271)	Item 3: Retaining brackets for step grate L220 PS-02153
Part number	101112	101129	101105
Materials	Aluminium	Aluminium	Aluminium
Material thickness	3 mm	3 mm	5 mm
Produktion length	510 mm	510 mm	220 mm

Designation:

**BEMO-STEP**

Example for roof pitch of 10° Roof  
 pitch of 1.5 to 30° is possible

Type:

**Step grate**

Width of standing seam webs 250 - 500 mm

This drawing is the exclusive property of BEMO SYSTEMS GmbH.  
 It may not be reproduced or made available to third parties without our prior consent. We reserve all rights, even in the case of the granting of a patent or the granting of a utility model.

Data sheet number:



**PS-02075\_EN-REV02**

**Standing seam widths and the appropriate mounting angle:  
 Position and orientation of the mounting angle:**

Assembly of the mounting angle  
 between the retaining brackets

The short side of the angles faces outwards







Mounting angle:  
 Item 1 Part number: 101112  
 Item 2 Part number: 101129



Assembly of the mounting angle  
 between the retaining brackets

The short side of the angles faces inwards

Mounting angle:  
 Item 1 Part number: 101112  
 Item 2 Part number: 101129



Product information:

Item	Item 1: Mounting angle 01 (PS-02251)	Item 2: Mounting angle 02 (PS-02271)	
Part number	101112	101129	
Materials	Aluminium	Aluminium	
Material thickness	3 mm	3 mm	
Produktion length	510 mm	510 mm	

Designation:

**BEMO-STEP**

Example for roof pitch of 10° Roof  
 pitch of 1.5 to 30° is possible

Type:

**Step grate**

Width of standing seam webs 250 - 500 mm

This drawing is the exclusive property of BEMO SYSTEMS GmbH.  
 It may not be reproduced or made available to third parties without our prior consent. We  
 reserve all rights, even in the case of the granting of a patent or the granting of a utility model.

Data sheet number:

**PS-02079\_EN-REV01**