


# EAVE / EXTERNAL GUTTER







\*WHEN USING A SNOW GUARD SYSTEM, AN ADDITIONAL SEALING TAPE IS REQUIRED WHEN THE ROOF SLOPE IS BELOW 10 DEGREES. THIS SEALING TAPE SHOULD BE INSTALLED ON TOP OF THE SMALL SEAM FOR A LENGTH OF APPROXIMATELY 1500 mm.



### DRAWING TITLE:

# EAVES WITH SUSPENDED GUTTER STRUCTURAL DECK (TRANSVERSE)

TYPE:


LONGITUDINAL SECTION

TYPICAL DETAIL

1401d

BEMO Systems GmbH Max-Eyth-Straße 2 D-74532 Ilshofen-Eckartshausen Germany T: +49(0)7904 29899-60 F: +49(0)7904 29899-61 E: sales@bemo.com

W: www.bemo.com





### DRAWING TITLE:

## EAVES WITH SUSPENDED GUTTER OVER PURLIN SYSTEM

TYPE:


LONGITUDINAL SECTION

TYPICAL DETAIL

1402d

BEMO Systems GmbH Max-Eyth-Straße 2 D-74532 Ilshofen-Eckartshausen Germany T: +49(0)7904 29899-60 F: +49(0)7904 29899-61 E: sales@bemo.com

W: www.bemo.com



- THIS PRINCIPLE DETAIL IS ONLY A PROPOSAL FOR SOLUTION.
  THE OBJECT-SPECIFIC GUTTER DIMENSIONING HAS TO BE
  DONE BY A CONSULTANT.
- \*WHEN USING A SNOW GUARD SYSTEM, AN ADDITIONAL SEALING TAPE IS REQUIRED WHEN THE ROOF SLOPE IS BELOW 10 DEGREES. THIS SEALING TAPE SHOULD BE INSTALLED ON TOP OF THE SMALL SEAM FOR A LENGTH OF APPROXIMATELY 1500 mm.



#### DRAWING TITLE:

## EAVES WITH SUSPENDED GUTTER RAFTER ROOF

TYPE:


LONGITUDINAL SECTION

TYPICAL DETAIL

1403d

BEMO Systems GmbH Max-Eyth-Straße 2 D-74532 Ilshofen-Eckartshausen Germany T: +49(0)7904 29899-60 F: +49(0)7904 29899-61 E: sales@bemo.com

W: www.bemo.com





### DRAWING TITLE:

## OVERHANGING EAVES RAFTER ROOF

TYPE:

LONGITUDINAL SECTION

TYPICAL DETAIL

1404d

BEMO Systems GmbH Max-Eyth-Straße 2 D-74532 Ilshofen-Eckartshausen Germany T: +49(0)7904 29899-60 F: +49(0)7904 29899-61 E: sales@bemo.com

W: www.bemo.com